


**SI-2008EX**

Heavy Duty Mini Sander

- Angle head sander with 2" pad. Light and compact. It is useful for sanding and polishing work at the narrow place




Pad/Disc Size mm/(in.)	50/(2")
Spindle Size	M6x1
Free Speed r.p.m.	14,500
Out Put Watt	175
Weight kg/ (lb)	0.57/(1.26)
Noise Level dBA/ (power)	83/(94)
Vibration a/k m/s <sup>2</sup>	4.0/0.9
Max Air Consumption CFM/ (L/S)	16.8/(7.9)
Avg Air Consumption CFM/ (L/S)	2.8/(1.3)

**SI-2107A**

Mini Sander

- Angle head dual action sander with 2" Velcro pad
- You can use 2" sanding paper, wool buff or sponge buff
- A good tool for sanding and polishing where space is limited
- Dual action for easy operation and a good finish




Pad/Disc Size mm/(in.)	50/(2")
Spindle Size	M6x1
Orbit Dia mm	3
Free Speed r.p.m.	14,000
Out Put Watt	127
Weight kg/ (lb)	0.55/(1.20)
Noise Level dBA/ (power)	85/(96)
Vibration a/k m/s <sup>2</sup>	3.8/0.9
Max Air Consumption CFM/ (L/S)	13.8/(6.5)
Avg Air Consumption CFM/ (L/S)	2.3/(1.1)

**SI-2108EX**

Heavy Duty Mini Sander with 3" pad

- Angle head dual action sander with 3" pad.
- The high durable gears included for long time use.




Pad/Disc Size mm/(in.)	75/(3")
Spindle Size	M6x1
Orbit Dia mm	3
Free Speed r.p.m.	15,500
Out Put Watt	175
Weight kg/ (lb)	0.62/(1.36)
Noise Level dBA/ (power)	85/(96)
Vibration a/k m/s <sup>2</sup>	18.5/2.3
Max Air Consumption CFM/ (L/S)	14.4/(6.8)
Avg Air Consumption CFM/ (L/S)	2.4/(1.1)

**SI-2108EX-2**

Heavy Duty Mini Sander with 2" pad

- Angle head dual action sander with 2" pad.
- The high durable gears included for long time use.
- Great for sanding & polishing in confined spaces.




Pad/Disc Size mm/(in.)	50/(2")
Spindle Size	M6x1
Orbit Dia mm	3
Free Speed r.p.m.	15,500
Out Put Watt	175
Weight kg/ (lb)	0.62/(1.36)
Noise Level dBA/ (power)	85/(96)
Vibration a/k m/s <sup>2</sup>	18.5/2.3
Max Air Consumption CFM/ (L/S)	14.4/(6.8)
Avg Air Consumption CFM/ (L/S)	2.4/(1.1)

**SI-2210**

Disc Sander

- A long seller in the market. Very popular high speed disc sander
- Easy one hand operation
- Disc inside dia.




Pad/Disc Size mm/(in.)	75/(3")
Spindle Size	7/16-20UNC
Free Speed r.p.m.	19,000
Out Put Watt	475
Weight kg/ (lb)	0.99/(2.17)
Noise Level dBA/ (power)	91/(102)
Vibration a/k m/s <sup>2</sup>	3.8/1.0
Max Air Consumption CFM/ (L/S)	23.4/(11.0)
Avg Air Consumption CFM/ (L/S)	3.9/(1.8)

**SI-2201 Without Pad**

Disc Sander

- Designed for direct mounting of the 3M Roloc Pad
- No adaptors necessary



**SI-2201-2**

Disc Sander with 2" pad

Pad/Disc Size mm/(in.)	50/(2")
Spindle Size	1/4-20UNC
Free Speed r.p.m.	17,000
Out Put Watt	174
Weight kg/ (lb)	0.50/(1.10)
Noise Level dBA/ (power)	82/(93)
Vibration a/k m/s <sup>2</sup>	2.2/0.7
Max Air Consumption CFM/ (L/S)	15.0/(7.1)
Avg Air Consumption CFM/ (L/S)	2.5/(1.2)

**SI-2202 without pad**

Disc Sander

**SI-2202-2**

Disc Sander with 2" pad

- Ideal for the removal of rust, surface deposits, and welds in hard-to-reach areas
- Double-sided, adjustable speed settings provide variability for a broader range of applications
- Designed for direct mounting of the 3M Roloc Pad



Pad/Disc Size mm/(in.)	50/(2")
Spindle Size	1/4-20UNC
Free Speed r.p.m.	15,000
Out Put Watt	168
Weight kg/ (lb)	0.46
Noise Level dBA/ (power)	82/(93)
Vibration a/k m/s <sup>2</sup>	2.3/0.7
Max Air Consumption CFM/ (L/S)	15.0/(7.1)
Avg Air Consumption CFM/ (L/S)	2.5/(1.2)

**SI-2110S**

Mini Dual Action Sander

- Engineered for the most aggressive sanding applications
- Durable ball-bearing construction ensures a smooth power delivery



Pad/Disc Size mm/(in.)	75/(3")
Spindle Size	M6x1
Orbit Dia mm	3
Free Speed r.p.m.	15,000
Out Put Watt	168
Weight kg/ (lb)	0.52
Noise Level dBA/ (power)	82/(93)
Vibration a/k m/s <sup>2</sup>	9.5/2.1
Max Air Consumption CFM/ (L/S)	15.0/(7.1)
Avg Air Consumption CFM/ (L/S)	2.5/(1.2)

IMPACT WRENCHES  
DRIVERS  
RATCHET WRENCHES  
SANDERS  
POLISHERS  
GRINDERS  
DRILLS  
SPOTMILLS  
CUTTING TOOLS  
OTHERS  
INDUSTRIAL TOOLS  
ACCESSORIES  
SOUND & VIBRATION  
MAINTENANCE CHECK  
QUALITY