


Two And Three Point Internal Micrometers (2-12mm/.08-.5")


209 Series



FEATURES

- Graduation: .0001" / 0.001mm
- · Ratchet stop
- Setting ring supplied
- Measuring contact points are designed to allow measurements near to the bottom of blind holes
- Models up to and including 6mm / .24 inch have two measuring points, models (over 6mm / .24 inch) with three measuring points





Dimension: 6-12mm / .275-.5"

Inch			Dimensions			
Code No.	Range	Accuracy	Setting Ring	L	A	Extension Rod
209-06-1	.081"	±,0001"	.1"	0.5"		1-
209-07-1	.112"	±.0001"	.1"	0.5"		-
209-08-1	.1216"	±.0001"	.16"	0.9"		-
209-09-1	.162"	±.0001"	.16"	0.9"		-
209-10-1	.224"	±.0001"	.24"	0.9"		-
209-10-5	.2428"	±.0001"	.24"	0.9"		+
209-11-1	.27535"	±.0001"	.275"	2.18"	0.06"	4"
209-12-1	.35425"	±.0001"	.35"	2.18"	0.06"	4"
209-13-1	.4255"	±.0001"	.5"	2.18"	0.06"	4"

Metric			Dimensions			
Code No.	Range	Accuracy	Setting Ring	L	A	Extension Rod
209-06-0	2-2.5mm	0.004mm	2.5mm	12.5mm	-	-
209-07-0	2.5-3mm	0.004mm	2.5mm	12.5mm	=	=
209-08-0	3-4mm	0.004mm	4mm	22.5mm	.a	5
209-09-0	4-5mm	0.004mm	5mm	22.5mm	a .	T:
209-10-0	5-6mm	0.004mm	6mm	22.5mm	25	E.
209-11-0	6-8mm	0.004mm	6mm	54.5mm	1.5mm	100mm
209-12-0	8-10mm	0.004mm	8mm	54.5mm	1.5mm	100mm
209-13-0	10-12mm	0.004mm	10mm	54.5mm	1.5mm	100mm